
STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

						OF OIL, GAS AND M				AMENDED REI	PORT	
APPLICATION FOR PERMIT TO DRILL								1. WELL NAME and NUMBER LC Nielsen Tribal 16-28D-56				
2. TYPE OF WORK DRILL NEW WELL REENTER P&A WELL DEEPEN WELL								3. FIELD OR WILDCAT LAKE CANYON				
4. TYPE OF WELL Oil Well Coalbed Methane Well: NO								5. UNIT or COMMUNITIZATION AGREEMENT NAME				
6. NAME OF OPERATOR LINN OPERATING, INC.								7. OPERATOR PHONE 435 722-1325				
8. ADDRESS OF OPERATOR Rt. 2 Box 7735, Roosevelt, UT, 84066								9. OPERATOR E-MAIL kwiison@linnenergy.com				
					1. MINERAL OWNERSHIP				12. SURFACE OWNERSHIP			
(FEDERAL INDIAN OR STATE)					FEDERAL INDIAN (STATE FEE)				FEDERAL INDIAN STATE FEE			
13. NAME O	F SURFACE OWN	IER (if box 12 = 'fo	e e') Randy N	ielsen				14. SURFACI		PHONE (if box 435-733-1502		
15. ADDRES	SS OF SURFACE (= 'fee') O Box 628, Duch	esne, UT	T 84021			16. SURFAC	E OWNER	E-MAIL (if box	12 = 'fee'	
17. INDIAN ALLOTTEE OR TRIBE NAME					NTEND TO COMMINGLE PRODUCTION FROM TIPLE FORMATIONS			19. SLANT				
(if box 12 =		dian Tribe			YES (Submit Commingling Application) NO			VERTICAL DIRECTIONAL HORIZONTAL				NTAL 🔵
20. LOCATION OF WELL FO			FC	OOTAGES		QTR-QTR	SECTION	TOWNSHIP		RANGE	MERIDIAN	
LOCATION	AT SURFACE		1295 F	SL 227 FWL		SWSW	27	5.0 S		6.0 W	U	
Top of Up	permost Producir	ng Zone	765 FS	SL 478 FEL		SESE	28	5.0 S		6.0 W	U	
At Total Depth 660 FS			SL 640 FEL		SESE	28	5.0 S		6.0 W	U		
21. COUNT		CHESNE		22. DIS	2. DISTANCE TO NEAREST LEASE LINE (Feet) 227			23. NUMBER OF ACRES IN DRILLING UNIT 640				
						AREST WELL IN SAME or Completed) 20	POOL	26. PROPOSI		6106 TVD:	5912	
27. ELEVATION - GROUND LEVEL 2				28. BON	28. BOND NUMBER RLB0005647				29. SOURCE OF DRILLING WATER / WATER RIGHTS APPROVAL NUMBER IF APPLICABLE 43-12400			
				ŀ	Hole, Casing	, and Cement Info	rmation					
String	Hole Size	Casing Size		_	Weight	Grade & Thread	Max Mud		Cement	Sacks	Yield	Weight
Surf	12.25	8.625	0 - 500	_	24.0	J-55 ST&C	9.5		Class G	350	1.15	15.8
Prod	7.875	5.5	0 - 610	6	17.0	N-80 LT&C	9.5		Type V Class G	300	1.7	11.0
		<u> </u>							0.000	000		
					Α	TTACHMENTS						
	VERIFY	THE FOLLOWII	NG ARE ATTAC	HED IN	N ACCORDAN	NCE WITH THE UTA	AH OIL AND GAS	CONSERVA	ATION GE	NERAL RUL	ES	
WELL PLAT OR MAP PREPARED BY LICENSED SURVEYOR OR ENGINEER					№ сом	COMPLETE DRILLING PLAN						
AFFIDAVIT OF STATUS OF SURFACE OWNER AGREEMENT (IF FEE SURFACE)				FORM	FORM 5. IF OPERATOR IS OTHER THAN THE LEASE OWNER							
☑ DIRE	ECTIONAL SURVE	Y PLAN (IF DIREC	TIONALLY OR HO	RIZONT	ALLY DRILLED	о) горо	GRAPHICAL MAP					
NAME					TITLE			PHONE				
SIGNATURE					DATE 05/28/2014					EMAIL		
API NUMBER ASSIGNED 43013529790000				APPROVAL BADGAJAL								
						Permit Manager						

T5S, R6W, U.S.B.&M. 589°20'24"W - 2644.71' (Meas.) S89°19'31"W - 2644.90' (Meas.) Brass Set Cap Marked Ŕebar Stone 2617. NO1"11"45"W Stone NO0°22'16"E 549.13' (Meas WELL LOCATION: LC NIELSEN TRIBAL 16-28D-56 ELEV. UNGRADED GROUND = 6843.3' Top of Hole 1083.04' of Hole) Set S53'31'56"W (To Bottom Marked Set Stone Stone S89°08'01"W - 2637.60' (Meas.) S89°18'17"W - 2662.91' (Meas.) Set Stone

BERRY PETROLEUM COMPANY

WELL LOCATION, LC NIELSEN TRIBAL 16-28D-56, LOCATED AS SHOWN IN THE SW 1/4 SW 1/4 OF SECTION 27, T5S, R6W, U.S.B.&M. DUCHESNE COUNTY, UTAH.



NAD 83 (SURFACE LOCA	ATION)
LAT: $= 40^{\circ}00'50.18''$ (4)	0.013938) 0.554675)
LONG: = 110°33'16.83" (11	0.554675)
NAD 27 (SURFACE LOCA	
NAD 27 (SURFACE LOCAL LAT: = 40°00'50.32" (4 LONG: = 110°33'14.27" (11	

1. WELL FOOTAGES ARE MEASURED AT RIGHT ANGLES TO THE SECTION LINES.

BASIS OF BEARINGS & BASIS OF ELEVATION

BASIS OF BEARINGS; BEARINGS ARE BASED ON GLOBAL POSITIONING SATELLITE OBSERVATIONS.

BASIS OF ELEV; ELEVATIONS ARE DASED SINCE (TRISTAT BASIS OF ELEV; ELEVATIONS ARE BASED ON AN N.G.S. OPUS CORRECTION. (TRISTATE ALUMINUM CAP)

THIS IS TO CERTIFY THAT THE FROM FIELD NOTES OF ACTUNDER MY SUPERVISION AND AND CORRECT TO THE

ZTri St Land Su	ate rveying, H VERNAL AVE.	Inc.vernal, utah 84078	(435) 781–2501
DATE SURVEYED:	10-08-13	SURVEYED BY:	M.C.
DATE DRAWN:	11-07-13	DRAWN BY:	L.C.S.
REVISED:		SCALE:	1" = 1000'

BERRY PETROLEUM COMPANY T5S, R6W, U.S.B.&M. TARGET BOTTOM HOLE, LC NIELSEN TRIBAL 16-28D-56, LOCATED AS SHOWN IN THE SE 1/4 SE 1/4 OF SECTION 28, T5S, R6W, S89°11'42"W - 2572.67' (Meas.) S89°31'32"W - 2618.80' (Meas.) U.S.B.&M. DUCHESNE COUNTY, UTAH. Brass Set Set Сар Marked Marked Stone Stone 000, (Meas. BARSCALE 261; SECTION CORNERS LOCATED S 743"W 45 NAD 83 (BOTTOM HOLE LOCATION) LAT: = 40°00'43.91" LONG: = 110°33'28.11" (110.557807 NO0°54 NAD 27 (BOTTOM HOLE LOCATION) LAT: = $40^{\circ}00'44.05''$ LONG: = $110^{\circ}33'25.55''$ Set Stone1. WELL FOOTAGES ARE MEASURED AT RIGHT ANGLES TO THE SECTION LINES Re-established Position from Bearing Trees BASIS OF BEARINGS & BASIS OF ELEVATION (Not Set) BASIS OF BEARINGS; BEARINGS ARE BASED ON GLOBAL POSITIONING SATELLITE OBSERVATIONS. TARGET BOTTOM HOLE 23, BASIS OF ELEV; ELEVATIONS ARE BASED ON AN N.G.S. OPUS CORRECTION. LC NIELSEN TRIBAL 16-28D-56 LOCATION: LAT. 39*58'55.06", LONG. 110*22'05.00' ELEV. 7307.99 2530. S53°31°56"W THIS IS TO CERTIFY THAT FROM FIELD NOTES OF ACT Top of UNDER MY SUPERVISION AN **Bottom** of Hole AND CORRECT TO THE 23,38 640 1/2" Private Сар Set Stone Set N89°49'57"E - 2621.69' (Meas.) N89°27'23"E - 2626.07' (Meas.) Stone Tri State Land Surveying, Inc. (435) 781-2507 180 NORTH VERNAL AVE. VERNAL, UTAH 84078 DATE SURVEYED: 10-08-13 SURVEYED BY: M.C. DATE DRAWN: 11-07-13 DRAWN BY: L.C.S REVISED: SCALE: 1" = 1000